

Stratus®

onestratus.com

888.503.1569

SITE ADDRESS:

721 S. INDIAN HILL BLVD.
CLAREMONT, CA 91711

MARSHA Code:
Stratus Project Manager:
Stratus Sales: Joseph Orf

57955 Residence Inn by Marriott
Claremont, CA

Signage Review
Approved

6/10/25

[View in Google Maps](#)

OWNER'S SCOPE OF WORK:

- Owner to provide (1) primary circuit (120v) for EACH sign location.
- Sign contractor is responsible for all secondary wiring. If primary is not present at time of install, the owner is responsible for making the final connection.
- Owner is to provide unrestricted access to the area behind where each sign is located.
- The access panel is to be approx. 24" x 36".
- 5/8" plywood blocking is to be provided behind where each sign and lighting is to be installed.

SIGN PACKAGE:

- (2) TWO CHANNEL LETTERS SETS REQUIRED
- (1) ONE D/F ILLUMINATED MONUMENT

Residence INN

BY MARRIOTT

Marriott

CUSTOMER APPROVAL / SIGNATURE:

SIGNATURE:

DATE:

16100 PROJECT STREET
CLAREMONT, CA 91711

6 ACCOUNTS/MARRIOTT/RESIDENCE INN/2025/CA/Residence Inn, Claremont,
Burlingame, Inc., Claremont, CA 91711

NAME

JOSEPH ORF

INTERNATIONAL


tion

Rev # | Rec # | Date/Artist | Description


Infinite possibilities, ideal solutions.

VINYL: 3M 3635-210 Dual-Color Film w/
Pantone 425 Digital Print

PAINT: RAL 9006




VINYL: 3M 3635-20B White Block-Out Film
3M 3635-210 White Dual-Color Film



VINYL: 3M 3635-20B White Block-Out film w/
Pantone 425 Gray 95% Digital Print

[illegible]

NTS - Not to Scale

[illegible]

Stratus®
onestratus.com
8950 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT: **Residence INN**
BY MARRIOTT

ADDRESS: 721 S. INDIAN HILL BLVD.
CLAREMONT, CA 91711

PAGE NO. 3

ORDER NUMBER: 000000

SITE NUMBER:

000000

PROJECT NUMBER: 35893

JOSEPH ORF
N:\M225\CAI\Residence\Ino_Claire\ronfi
R2.cdr

[illegible]

THE UNIVERSITY OF CHICAGO PRESS

RI-CL-30-S-GW-Right

Scale: 1/16"=1'-0"

EXISTING SIGN SF:	-
PROPOSED SIGN SF:	89.2



**ALL SIGN SIZES HAVE BEEN CALCULATED OFF
ARCHITECTURAL PRINTS AS SHOWN**



FULL ELEVATION
Scale: 1/32"=1'-0"



ENLARGE VIEW

Scope of Work:

1. Install new channel letters
2. Wall material: Not provided at this time.

Stratus®
onestratus.com
3359 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:	Residence INN BY MARRIOTT	PAGE NO.: 4
ADDRESS:	721 S. INDIAN HILL BLVD. CLAREMONT, CA 91711	

ORDER NUMBER:	PROJECT NUMBER:
000000	85983
SITE NUMBER:	PROJECT MANAGER:
000000	JOSEPH ORF

ELECTRONIC FILE NAME:
G:\ACCOUNTS\MARRIOTT\RESIDENCE INNOVATIONS\Residence Inn_Claremont_Sales P2.pdf

[illegible]


<u>EXISTING SIGN SF:</u>	-
<u>PROPOSED SIGN SF:</u>	89.2



**ALL SIGN SIZES HAVE BEEN CALCULATED OFF
ARCHITECTURAL PRINTS AS SHOWN**



FULL ELEVATION
Scale: 1/32"=1'-0"



ENLARGE VIEW

Scope of Work:

1. Install new channel letters
2. Wall material: Not provided at this time.

[illegible]

FACE LIT CHANNEL LETTERS

RI-CL-30-S-GW-Right

E01

E02

Scale: 3/8"=1'-0"

89.2 square feet

Channel Letter Specifications:

Construction:
.050" aluminum channel letter with .063" with aluminum backs/
1.5-2.0mm aluminum channel letter cases
3" deep returns

Face Material:
3/16" 2447 white acrylic/3.4mm 30% translucent opal acrylic
or 3/16" Plaskolite 2406 white acrylic

Decoration:
Digitally printed dual-color film to match Pantone® 425 C Gray/
digital print in Pantone® 425 C gray onto 3M Dual-Color 3635-210
White perforation vinyl film, double layer liquid lacquering

Trim Cap:
1" painted to match Pantone® 425 C Gray/factory painted trim
cap to match Pantone® 425 C Gray

Illumination:
GE 7100K White LED's as required
or Sloan Prism 24 6500K White LED's as required
Remote Power Supplies

Exterior Finish:
Paint to match Pantone® 425 C Gray/ powder coating RAL7012, satin finish

Interior Finish:
Paint reflective white/powder coating RAL9003, glossy finish

*For Channel Letters smaller than 24", the "By Marriott" size will be the same as the 24" set.

Wall Material, Install & Quantity:

Wall Material:
Not available at time of survey

Install:
Thru bolted using all thread into blocking as required;
12" standard length of threaded rod will be supplied unless otherwise noted;
3/8" threaded rod into blocking or Stratus approved equivalent;

Quantity:
TOTAL (2) TWO CHANNEL LETTERS SETS REQUIRED;
(1) ONE FOR EAST & (1) FOR SOUTH ELEVATION

Stratus®

onesstratus.com

1855 Tyler Boulevard
Mentor, Ohio 44060

288.503.1509

CLIENT:

Residence INN
BY MARRIOTT

ADDRESS:

721 S INDIAN HILL BLVD.
CLAREMONT, CA 91711

PAGE NO.:

6

ORDER NUMBER:

000000

PROJECT NUMBER:

85893

SITE NUMBER:

000000

PROJECT MANAGER:


JOSEPH ORF

ELECTRONIC FILE NAME:


C:\ACCOUNTS\MARRIOTT\RESIDENCE INN\2026\CAR\residence Inn, Claremont
Residence Inn, Claremont, Sales R2.cdr

Rev # | Rev # | Date/Artist | Description

Original	52458	04/09/23 ZAN	
Rev 1	52519	04/11/23 ZAK	
Rev 2	52853	04/27/23 BLS	



COLOR PALETTE



Paint finish to be satin unless otherwise specified

SIMULATED NIGHT VIEW


Residence INN
BY MARRIOTT

ALL SIGNS TO COMPLY WITH UL 48 AND WILL BE MARKED AS SUCH WITH APPROPRIATE LABORATORY LABELS.

THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE (NEC) AND ALL APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN.

THE LOCATION OF THE DISCONNECT SWITCH AFTER INSTALLATION SHALL COMPLY WITH ARTICLE 600.8(A) (1) OF THE NATIONAL ELECTRIC CODE.

FACE LIT LED | REMOTE, FLUSH | GENERIC INSTALL



D/F ILLUMINATED MONUMENT

RI-M5.CUSTOM

SIMULATED NIGHT VIEW

E03 Scale: 1/2"=1'-0"

Monument Specifications:

Construction:
Aluminum tube frame with .125" aluminum shoe-box style faces

Face Construction:
Routed from alum. face with 1/2" clear push thru acrylic graphics;
Surface applied White trans. vinyls overlay & second surface diffuser

Face Decoration:
Pantone® 425 C Gray, satin finish/ powder coating RAL7012, satin finish
Future tenant panel painted black
* All copy to appear white during the day
and illuminate white at night (background does not illuminate)

Backer Panel:
118" white solar grade polycarbonate/ 3mm 30% translucent opal acrylic

Retainer:
Bleed face

Illumination:
GE 7100K White LED's as required
or Sloan PrismBeam 24V 6500K White LED's as required
Power Supplies Housed within Cabinet

Exterior Finish:
Paint Pantone® 425 C Gray, satin finish/ powder coating RAL7012, satin finish
Paint Reveal Black

Interior Finish:
Paint reflective white/ powder coating RAL9003, glossy finish

Pole Cover Specifications:

* Preferred method to have monument base match building
hard scape (stone, brick, etc., provided by general contractor)

Construction:
Aluminum angle frame with .080" aluminum skins

Exterior Finish:
Painted Black

Install & Quantity:

Install:
Direct burial installation to match city code & engineering requirements

Quantity:

(1) ONE D/F ILLUMINATED MONUMENT REQUIRED

COLOR PALETTE

Pantone 425 Gray

Black

Paint finish to be satin
unless otherwise specified



SIDES A & B MATCH

END VIEW

Stratus

onestratus.com

1939 Tyler Boulevard
Winton, Ohio 44090
888.503.1568

CLIENT:

Residence INN
BY MARRIOTT

ADDRESS:

721 S. INDIAN HILL BLVD
CLAREMONT, CA 91711

PAGE NO.

7

ORDER NUMBER:

1238286

SITE NUMBER:

80030

PROJECT NUMBER:

85893

PROJECT MANAGER:

Kristie Weese

ELECTRONIC FILE NAME:

G:\ACCOUNTS\MARRIOTT\RESIDENCE INN\2025\CA\Residence Inn_Claromont
Residence Inn_Claromont_Sales R3.cdr

Rev #	Rev #	Date/Artist	Description	Rev #	Rev #	Date/Artist	Description
Original	52558	04/09/25 JAW					
Rev 1	52559	04/17/25 JAW					
Rev 2	52823	04/09/25 BL3	Added monument to SOW				
Rev 3	54249	07/17/25 DS	Revised to scale by side layout				

PRINT THE INSTRUCTIONS, INTENT TO PURCHASE, AND MATERIAL SHALL WITH THE ORDER. ALL INFORMATION MUST BE PROVIDED WITH THE ORDER. PRINTED ON 11x17 INCH PAPER.